

PETREPAR[®] n-C14

n-Tetradecane

IDENTIFICATION

CAS number: 629-59-4

EC number: 211-096-0

DESCRIPTION

PETREPAR[®] n-C14 is a linear alkane hydrocarbon with a content higher than 97% in n-tetradecane.

APPLICATION

PETREPAR[®] n-C14 has several direct applications such as solvents for printing inks, degreasers, drilling oils, lubricants, herbicides and insecticides.

TYPICAL PROPERTIES

Property		Unit	Value
Density	@ 15°C	kg/l	0,77
Composition			
<C10		%	<1
n-C10		%	99
>C10		%	<1
Color Saybolt			30
Bromine Index		mg Br/100g	<5
Distillation range			
Initial		°C	244
Final		°C	255
Aromatics		% (wt)	0,008
Sulfur		mg/kg	≤2
Flash point (close cup)		°C	110
Aniline point		°C	90
Kauri-Butanol index			21,5
Melting point		°C	-18
Kinematic viscosity	@ 25°C	cSt	2,76
	@ 40°C	cSt	1,93

STANDARD PACKAGING


Available in trucks and vessels

STORAGE AND HANDLING

Store in accordance with local regulations.

Carbon steel is preferred for pipes and storage.

HEALTH AND SAFETY

PETREPAR[®] n-C14 MSDS is available. For more info, contact Cepsa product stewardship.

For more info, please contact us:

techsupport@cepsa.comCepsa Quimica S.A.
Torre Cepsa. Paseo de la Castellana 259 A
28046 Madrid (Spain)