

PETROSOL D HEXANE

IDENTIFICATION

CAS number: 64742-49-0

EC number: 925-292-5 (prov.)

DESCRIPTION

PETROSOL D HEXANE is a mix of n-hexane and its isomers, characterised by being a volatile solvent with a high rate of evaporation and very low content in aromatics and other impurities, with low-penetration smell.

APPLICATIONS

PETROSOL D HEXANE is mainly used in the food industry for its great extraction capacity. It is used as a solvent in adhesives and paints, and also as a degreaser.

TYPICAL PROPERTIES

| Property | | Unit | Value |
|-------------------------|--------|------------|-------|
| Density | @ 15°C | kg/l | 0,670 |
| Color Saybolt | | | +30 |
| Bromine Index | | mg Br/100g | <10 |
| Distillation range | | | |
| Initial | | °C | 64 |
| Final | | °C | 68 |
| Aromatics | | ppm | <50 |
| Benzene | | ppm | <10 |
| Sulfur | | ppm | <1 |
| Flash point (close cup) | | °C | <0 |
| Aniline point | | | 65 |
| Kauri-Butanol index | | % (wt) | 28,5 |
| Kinematic viscosity | @ 40°C | cSt | 0,35 |

STANDARD PACKAGING


Available in trucks and vessels

STORAGE AND HANDLING

Store in accordance with local regulations.

HEALTH AND SAFETY

PETROSOL D HEXANE MSDS is available. For more info, contact Cepsa product stewardship.



For more info, please contact us:
techsupport@cepsa.com

Cepsa Quimica S.A.
Torre Cepsa. Paseo de la Castellana 259 A
28046 Madrid (Spain)