

# PETROSOL D ISOHEXANE

## IDENTIFICATION

CAS number: 64742-49-0

EC number: 931-254-9

## DESCRIPTION

PETROSOL D ISOHEXANE is a mix of C6 isomers with a n-hexane content lower than 5%. It is characterised by being a great volatile solvent with a high rate of evaporation and a very low content of aromatics and other impurities, with low-penetration smell.

## APPLICATIONS

PETROSOL D ISOHEXANE is used as a volatile solvent in several applications: adhesives, paints, inks, etc.

## TYPICAL PROPERTIES

Property		Unit	Value
Density	@ 15°C	kg/l	0,661
Color Saybolt			+30
Bromine Index		mg Br/100g	<10
Distillation range			
Initial		°C	58
Final		°C	62
Aromatics		ppm	<50
Benzene		ppm	<50
Sulfur		ppm	<1
Flash point (close cup)		°C	<0
Aniline point			80
Kauri-Butanol index		% (wt)	27,5
Kinematic viscosity	@ 40°C	cSt	0,37

## STANDARD PACKAGING


Available in trucks and vessels

## STORAGE AND HANDLING

Store in accordance with local regulations.

## HEALTH AND SAFETY

PETROSOL D ISOHEXANE MSDS is available. For more info, contact Cepsa product stewardship.



For more info, please contact us:

[techsupport@cepsa.com](mailto:techsupport@cepsa.com)

Cepsa Quimica S.A.  
Torre Cepsa. Paseo de la Castellana 259 A  
28046 Madrid (Spain)